







Over 200 Styles!









About PVC Manufacturing







Poly Vinyl Creations, a vinyl fencing pioneer, manufacturers the highest quality of vinyl fencing, decking, railing and garden products available on the market today. As an industry leader, Poly Vinyl Creations has employed the most advanced methods in modern technology and manufacturing to produce a premium quality vinyl fence.

Poly Vinyl Creations has over 200+ standard styles of vinyl fence and a large variety of ornamental steel and aluminum fence. We pride ourselves on the ability to meet every desire in residential, commercial, or industrial applications. Specializing in creativity for you is what we desire! If you have an idea about something you like, just ask! Poly Vinyl Creations wants to be your distributor of choice for all your outdoor needs.

Our vinyl fence profiles are extruded using rigid PVC material containing impact modifiers for strength and a concentration of Titanium Dioxide pigment for ultraviolet light resistance. The profiles used in your fence meet or exceed ASTM specifications F-964-02.

We offer a Lifetime Transferable Non-Prorated warranty by Westech giving you a peace of mind that you are receiving the highest quality of vinyl fence in the market. Our Dealers receive a manufactures warranty card with your order. Ask for it upon completion of your installation to register your product. Make sure your warranty card states Poly Vinyl Creations. Be careful of imitations.

Don't choose just any fence... Choose a Poly Vinyl Creations Fence!!!


















Ranch Rail Fence



*Available in 48" high with 6 1/2" spacing or 60" high with 9" spacing







*10 1/2" spacing

- •Ranch Rail is offered in 2,3, and 4 Rail, Crossbuck and Diamond Styles.
- •Ranch Rail Styles in 2,3, and 4 Rail are available with 1 ½"x 5 ½", 2" x 6" and 3"x3" rails.
- •Crossbuck styles are usually installed 12" off the ground but come top to bottom of rail 36" for 4' high or 48" for 5' high.
- •Various heights, profile thicknesses and colors are available. Discuss with your dealer which is best suited for your needs.
- •No job is too small, nor too large...half truckload and truckload programs are available.





*10 1/2" spacing



Truly Endless options

- •Choose from either 6" T&G, T-11, Wideboard or any of our 10 full privacy fence styles to offer beauty, security and value to your property.
- •Colors available in White, Tan, Pebblestone, Clay, Stone and Wood Grain Privacy Styles to give you many options in appearance, quality and price.
- •Add an option to accentuate your fence with any of our various Picket, Lattice or Sunburst Accents.



















in Privacy Fence











•Try mixing colors for a unique look and decor.











Ornamental &

- •Create your own picket fence or choose from one of our many styles to meet your needs.
- •Most picket fences are available in 4 styles: Flat Rail (#1), Convex (#2), Extended Straight Top (#3) and Concave (#4).
- •Various picket sizes are offered from 1" x 1", 7/8" x 1 ½", 7/8" x 3" and 1 ½"x 1 ½" with different picket spacing giving you the look you want and need.
















Style 2:
Rounded Convex


Picket Fence











- •All picket rails are routed throughout giving you the "Good Neighbor" look and eliminates the need for screws and brackets.
- •Get a matching Single or Double Walk Gate added to your picket fence.
- •Rails are centered unless pool code is specified.









Semi-Privacy Fence



- •Semi-Privacy fences are usually the strongest vinyl fences manufactured offering you the benefit of both privacy and picket utilizing some airflow.
- •Choose from our traditional Imperial, Wide Imperial or Shadowbox Styles or be unique with more privacy with one of our Basketweave or Louvered Styles.
- •Rails are centered unless pool code is specified.









Unique Applications

Poly Vinyl Creations is not just another vinyl fence fabricator. Poly Vinyl Creations offers total customization for your needs and desires. Either for residential or commercial fencing, no one offers more for your total satisfaction with styles and colors that meet or exceed your taste and desire.



















- •All bends from 1'-2' S-Bends, 6" Concave/Convex, or Corner Radius Bends are manufactured using a heat process at our corporate facility.
- •Gates are offered as Welded PVC, Riveted PVC, or with an Internal or External Aluminum Frame.
- •Gate Leafs are manufactured up to 10' wide.
- •For added rigidity, use a 4" 11-13 gauge steel post inside your pvc post on internal gate frame leafs that are over 6' wide.





Overview of Styles



Style Specifications

| | | | Colors Available* | W=White | T=Tan P= | Pebbles | stone C=Clay | S=Stone * | *Colors shown are by | the lithographic proce | ess and may vary sligl | ntly from actual product. |
|------------------------------|------------------------------------|-----------------------------|--------------------------------|---------------------|----------|---------|-------------------------|-------------------------|--------------------------|-------------------------------|------------------------|------------------------------|
| Styles | Picket Size | Picket Spacing | Rails | Available Styles | Colors | | Styles | Picket Size | Picket Spacing | Rails | Available Styles | Colors |
| Baron | 7/8" x 3" | 3.40" | 2" x 3 ½" | 1,2,3,4 | W,T,P | | Lincoln | 7/8" x 3" | 2" | 2" x 3 ½" | 1,2,3,4 | W,T,P |
| Basketweave | 7/8" x 6" plank | n/a | 7/8" x 6" plank | 1 | W,T,P | | Louver | n/a | n/a | 7/8" x 6" plank | 1 | W,T,P |
| Basketweave W/Top Cap | 7/8" x 6" plank | n/a | 7/8" x 6" plank & 2 x 3 ½ " | 1 | W,T,P | | Princeton | 7/8" x 1 ½" | 1.66" | 2" x 3 ½" | 1,2,3,4 | W,T,P |
| Cape Cod | 7/8" x 3" | 2.92" | 2" x 3 ½" | 1,2,3,4 | W,T,P | | Sanibel | 1 ½"x 1 ½" | 1.50" | 2" x 3 ½" | 1,2,3,4 | W,T,P |
| Commercial Louver | n/a | n/a | n/a | 1 | W,T,P | | Shadowbox Horizontal | 7/8" x 6" plank | n/a | 7/8" x 6" plank | 1 | W,T,P |
| Countess | 7/8" x 6" plank & 7/8" x 1 1/2" | 1.50" | 2" x 3 ½" | 1,2,3,4 | W,T,P | | Shadowbox Royale | 7/8" x 6" & 7/8" x 1 ½" | 1.75" & 0.50" overlap | 3 ½"x 3 ½" | 1,2,3,4 | W,T,P |
| Diagonal Lattice Premium | 1.25" x .25" | 2.75" | 1.5"x 5.5" & 1.75" x 1.75" | 1 | W,T,P | | Shadowbox Vertical | 7/8" x 6" plank | 0.50" overlap | 3 ½"x 3 ½" | 1,2,3,4 | W,T,P |
| Diagonal Lattice Standard | 1.25" x .125" | 1.875" | 1.5"x 5.5" & 1.75" x 1.75" | 1 | W | | Small Countess | 7/8" x 3" & 7/8" x 1 ½" | 2.125" | 2" x 3 ½" | 1,2,3,4 | W,T,P |
| Diamond Picket | 1" x 1" | 3.50" | 2" x 3 ½" | 1,2,3,4 | W,T,P | | Square Lattice | 1.25"x .25" | 2" | 1.5"x 5.5" & 1.75" x 1.75" | 1 | W |
| Diamond Special | 1" x 1" | top: 6.26" bottom: 3.40" | 1 3/4" x 1 3/4" & 2" x 3 ½" | 3 | W,T,P | | T-11 | 7/8" x 11.3" T&G | n/a | 1 ½"x 5 ½" or 2" x 6" Deco | 1 | W,T,P |
| Estate | 1" x 1" | 2.43" | 2" x 3 ½" | 1,2,3,4 | W,T,P | | T-12 | ½"x 11.6" T&G | n/a | 1 ½"x 5 ½" | 1 | W |
| Euro | 1" x 1" | 3.75" | 2" x 3 ½" | 3 | W,T,P | | Tongue & Groove | 7/8" x 6" | n/a | 1 ½"x 5 ½" or 2" x 6" Deco | 1 | W,T,P,C,S |
| Imperial | 7/8" x 3" | 0.68" | 2" x 3 ½"ribbed and hollow | 1,2,3,4 | W,T,P | | Tru Grain | 7/8" x 11.3" T& G | n/a | 1 ½"x 5 ½" | 1 | T,P,C,S |
| Wide Imperial | 7/8" x 6" plank | .80" | 2" x 3 ½"ribbed and hollow | 1,2,3,4 | W,T,P | | Victorian | 7/8" x 1 ½" | 3.46" | 2" x 3 ½ " | 1,2,3,4 | W,T,P |
| Keywest | 1 ½"x 1 ½" | 3.46" | 2" x 3 ½" | 1,2,3,4 | W,T,P | | Wideboard | 7/8" x 11.3" T& G | n/a | 1 ½"x 5 ½" or 2" x 6" Deco | 1 | W,T |
| Keywest Variation | 1 ½"x 1 ½" | top: 5.46" bottom: 1.96" | 2" x 3 ½" | 1,2,3,4 | W,T,P | | Variegated | 7/8" x 11.3" T& G | n/a | 1 ½"x 5 ½" or 2" x 7" Deco | 1 | Medium (Tan) Dark (Khaki) |

| Styles | Picket Size | Picket Spacing | Rails | Available Styles | Colors | |
|-------------------------|----------------------------|--------------------------|-------------------------------|---------------------|------------------------------|--|
| Lincoln | 7/8" x 3" | 2" | 2" x 3 ½" | 1,2,3,4 | W,T,P | |
| Louver | n/a | n/a | 7/8" x 6" plank | 1 | W,T,P | |
| Princeton | 7/8" x 1 ½" | 1.66" | 2" x 3 ½" | 1,2,3,4 | W,T,P | |
| Sanibel | 1 ½"x 1 ½" | 1.50" | 2" x 3 ½" | 1,2,3,4 | W,T,P | |
| Shadowbox Horizontal | 7/8" x 6" plank | n/a | 7/8" x 6" plank | 1 | W,T,P | |
| Shadowbox Royale | 7/8" x 6" & 7/8" x 1 ½" | 1.75" & 0.50" overlap | 3 ½"x 3 ½" | 1,2,3,4 | W,T,P | |
| Shadowbox Vertical | 7/8" x 6" plank | 0.50" overlap | 3 ½"x 3 ½" | 1,2,3,4 | W,T,P | |
| Small Countess | 7/8" x 3" & 7/8" x 1 ½" | 2.125" | 2" x 3 ½" | 1,2,3,4 | W,T,P | |
| Square Lattice | 1.25"x .25" | 2" | 1.5"x 5.5" & 1.75" x 1.75" | 1 | W | |
| T-11 | 7/8" x 11.3" T&G | n/a | 1 ½"x 5 ½" or 2" x 6" Deco | 1 | W,T,P | |
| T-12 | ½"x 11.6" T&G | n/a | 1 ½"x 5 ½" | 1 | W | |
| Tongue & Groove | 7/8" x 6" | n/a | 1 ½"x 5 ½" or 2" x 6" Deco | 1 | W,T,P,C,S | |
| Tru Grain | 7/8" x 11.3" T& G | n/a | 1 ½"x 5 ½" | 1 | T,P,C,S | |
| Victorian | 7/8" x 1 ½" | 3.46" | 2" x 3 ½ " | 1,2,3,4 | W,T,P | |
| Wideboard | 7/8" x 11.3" T& G | n/a | 1 ½"x 5 ½" or 2" x 6" Deco | 1 | W,T | |
| Variegated | 7/8" x 11.3" T& G | n/a | 1 ½"x 5 ½" or 2" x 7" Deco | 1 | Medium (Tan) Dark (Khaki) | |

Vinyl Post and Picket Caps



Flat Cap 3 ½", 4", 5" or 6"



Acorn Cap 4" only



Ball Cap 4" or 5"



Gothic Cap 3 ½",4", or 5"



Horse Head Cap 5" Only



Webster Cap 4" Only



Coachman Cap 4" or 5"



Federation Cap 4", 5", or 6"



Tear Drop Cap 4" or 5"



Glow Ball Cap 4" Only



Island Cap 4", 5" or 6"



Galaxy Cap 4" or 5"



Solar Wedge



Stockade Cap 4" Only



Hat Cap 5" Only



Dog Ear, Sharp, and Half-Moon 7/8" x 3" Picket Caps



Dog Ear 7/8" x 6" Picket Caps



Ball, Gothic, Lance, Quad, and Triad

1" x 1" Picket Caps



Dog Ear and Sharp 1½"x 1½" Picket Caps 7/8" x 1½" Picket Caps



Dog Ear and Sharp

Maintenance & Information

To clean a soiled spot from your vinyl product, please refer below to the list of common marks found on your outdoor vinyl products. Next to each one is a recommended cleaning agent.

| Type of Stain | Cleaning Agent | Preparation | Special Cleaning Procedures | |
|-------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Mold and Mildew | Normal cleaning: 1 cup of Simple Green mixed with 1 gallon of water or for heavier cleaning use equal parts of both | Mix the appropriate solution for your cleaning needs. | Apply with soft cloth. Use only a little pressure for "normal cleaning." You may use slightly more pressure for the "down-and-dirty" stains. | |
| Asphalt, crayon, greases, oils, tars, wax and miscellaneous | Solvents: Mineral Spirits, VMP, or NaptheaAuto Tar Remover | Use a plastic wood scrape to remove excess. | Apply mineral spirits with a soft cloth. Use a little pressure to polish stained areas. Rinse with water after stain is removed. | |
| Gum, lipstick, marking inks, nail polish, and miscellaneous | Trichloroethylene Cleaning Fluid | Use a plastic or wood scraper to remove excess. The gum needs to be chilled for removal. | Apply mineral spirits with a soft cloth. Use only a little pressure to remove stain. Rinse with water. | |
| Stubborn Stains | Xylene-lacquer Thinner | Use this method ONLY if the above methods have failed. | Moisten a small section with the thinner and vigorously rub. | |
| Rust | CLR or Vinegar | None | Apply with soft cloth. Use a little pressure for "normal cleaning." | |

Disclaimer: These procedures are not guaranteed to remove stains. If unsure of proper procedures, please follow manufacturers' instructions.

Hardware Choices



Dealer's receive manufacturers' warranty card with your order. Ask for it upon completion of your installation to register your product. Avoid imitations in the marketplace; not all vinyl products are the same!

Material Specifications: Rigid PVC exterior profiles, used by Poly Vinyl Creations, contain impact modifiers for cold weather and Titanium Dioxide pigment for ultraviolet light resistance. These profiles meet or exceed ASTM. specifications F-964-02.

Outdoor Products



